


- ●信賴性ある製品 TECHNOLOGY
- ●卓越したの性能 PERFECTION
- ●保證したの品質 GUARANTEE











GX 系列家禽專用齒輪減速機 GX SERIES POULTRY GEAR MOTOR

機種型號表示 INDICATION OF MODEL NUMBER





註:

- 1. 出廠標準電壓為三相220/380V,其它電壓請特別告知。
- 2. 附煞車為停電煞車,附DC90V整流器。
- 3. 加裝AC煞車或送電煞車或其它特殊煞車請與本公司聯絡。
- 4 . 出廠附馬達減速機皆為4P馬達,速度計算以60HZ=1800RPM,50HZ=1500RPM為基準。
- 5.需求6P馬達或其他規格馬達請與本公司聯絡。

Remark:

- 1. Special motor voltage available, please contact the maker.
- 2. Power off brake (safty brake) at 90 VDC.
- 3. Power on brake or other types brakes avao;ab;e, please contact the maker.
- 4. Motor spec. based on 4 pole, 1800RPM at 60Hz and 1500RPM at 50Hz.
- 5. 6 pole motor or other special sepc., please consult the maker.




GX系列家禽專用齒輪減速機 MOTORS & DRIVES • GX SERIES POULTRY GEAR MOTOR




mm


出立軸尺寸表 OUTPUT SHAFT SPECIFICATION



						mm		
代號	尺寸 Dimension							
Model No.	D2	E2	Y	F2	P	Z		
S2	14	30	2.5	5	25	14		
S3	19	40	3	6	30	0		
S21	24	50	5	8	40	14		
S24	20	40	3	6	30	18		



代號	尺寸 Dimension								
Model No.	D2	E2	X	M	N				
S1	22	52	23	23	8.5				
S4	19	60	23	23	6.5				
S6	19	82	30	30.5	8.5				
S8	20	103	50	20	7				
S10	19	80	21.5	17	8.5				
S14	21	52	23	9	6				
S16	16	50	21	18	7				
S18	22	57	23	18	8.5				
S29	19.7	40	29	0	6				



							mm	
代號	尺寸 Dimension							
Model No.	D2	E2	X1	X2	Z	Q1	Q2	
S15	19	92	30	48	20.5	8.5	8.5	
S28	24	135	45	60	18	9	9	
S31	19.7	90	30	50	13.5	6.5	6.5	

註: 數據含有底色為目前可供應之尺寸。 Remark: Data with dark colors are current available.




GX系列家禽專用齒輪減速機 GX SERIES POULTRY GEAR MOTOR




mm

mm


法蘭面尺寸表 FLANGE SPECIFICATION



代號 Model No.	尺寸 Dimension								
	Н	K	L	M	N	O			
F 1	3	14	140	115	95	M8			
F2	3.5	14	160	130	110	9			
F3	3.5	14	200	165	130	11			
F4		14	160	130	i.=.	9			
F5	-	=	140	115	-	M8			



代號		尺寸 Dimension								
Model No.	Н	K	L	M	N	O				
F6	3	18	145	115-130	95	8.5				
F7	3	18	140	115-130	95	8.5				



									1111111
代號		尺寸 Dimension							
Model No.	E	F	G	L	K	M	Н	0	N
F8	66	116	M8	154	18	127	110	7	129
F9	-	120	10	160	20	112 130	-	-	120

- TPG新型GX系列家禽專用減速機馬達,外殼採用輕巧壓鑄鋁機體,内部為單段螺旋齒結構,適用於各式家禽餵養系統。
- TPG提供多樣出力/入力法蘭面與軸之選擇,可依客人需求進行訂製,需要更多資訊,請聯絡當地經銷商。
- TPG new product, GX SERIES gear motor, is made up with die-cast aluminum housingalso adapted single stage for feeding systems in poultry farms.
- Providing a high degree of customization, wide selection of input/output flanges and shafts, satisfied customers demands.